

## DEPARTMENT OF TOXIC SUBSTANCES CONTROL

400 P STREET, 4TH FLOOR

P.O. BOX 806

SACRAMENTO, CA 95812-0806

(916) 324-2423



02/02/95

EPA ID: CAD008342784

AUTOMATION PLATING CORP  
BILL WIGGINS  
PO BOX 5004  
GLENDALE, CA 91221-5004

*For facility located at:*

927 THOMPSON AVE  
GLENDALE, CA 92101-2011

Authorization Date: 08/25/93

Dear Onsite Treatment Facility:

1995 RENEWAL OF AUTHORIZATION TO OPERATE A FIXED TREATMENT UNIT PURSUANT TO PERMIT BY RULE AND ACKNOWLEDGEMENT OF UNIT(S) OPERATING UNDER CONDITIONAL AUTHORIZATION AND/OR CONDITIONAL EXEMPTION

The Department of Toxic Substances Control (DTSC) has received your 1995 facility-specific renewal notification form. Your notifications are administratively complete, but have not been reviewed for technical adequacy. A technical review of your notifications will be conducted when an inspection is performed. At any time, you may be inspected and will be subject to penalty if violations of laws or regulations are found.

Pursuant to Title 22, California Code of Regulations (CCR), section 67450.2(b), you are hereby authorized to operate the fixed treatment unit(s) listed on the last page of this letter pursuant to Permit by Rule. Your authorization to operate under Permit by Rule expires on March 1, 1996. You will receive a renewal package later this calendar year.

As set forth in Title 22, CCR, section 67450.9(c), this authorization of the Permit by Rule (PBR) unit(s) is contingent upon the accuracy of information submitted by you in the notifications mentioned above. Any misrepresentation or any failure to fully disclose all relevant facts shall render this authorization to operate null and void.

Units operating under Conditional Authorization (CA) or Conditional Exemption (CE) are authorized by California law without additional Department action, pursuant to Health and Safety Code sections 25200.3 and 25201.5. Annual renewal is not required for the units operating under these permitting tiers. Your authorization to operate all of these units continues until you notify DTSC that you have stopped treating waste and have fully closed the unit(s).

You will be charged annual fees calculated on a calendar year basis for each year you operate and have not notified DTSC that you have closed the unit. Under PBR, facilities are required to implement the closure plan and close the PBR treatment units(s) within 90 days of treating the last volume of hazardous waste (Title 22, CCR 67450.3(c)(11)(D)). You are also required to notify the DTSC 15 days prior to the completion of the closure of any PBR unit or facility (Title 22, CCR 67450.3(c)(11)(F)). The facility must stay in compliance with all regulations until the certification required by Title 22, CCR 67450.3(c)(11)(G) is submitted.

Under Conditional Authorization and Conditional Exemption, you are also required to properly close any treatment unit.



If you have any questions regarding this letter, or have questions on operating requirements for your facility, please contact the nearest DTSC regional office, or this office at the letterhead address or phone number.

Sincerely,

A handwritten signature in black ink, appearing to read 'Sangat Kals', with a long horizontal line extending to the left.

Sangat Kals, Ph.D.  
Tiered Permitting Compliance Section  
State Regulatory Program Division

Enclosure

cc: ROY YEAMAN  
DTSC REGION 3 OFFICE  
SURVEILLANCE & ENFORCEMENT BR.  
1011 GRANDVIEW AVENUE  
GLENDALE, CA 91201

PAUL LISAK  
LOS ANGELES COUNTY  
HEALTH/HAZMAT DIVISION  
5825 RICKENBACKER ROAD  
COMMERCE, CA 90040

Page 3

EPA ID: CAD008342784

**ENCLOSURE 1**

*Units authorized to operate at this location:*

**UNDER PERMIT BY RULE:**

**APC #1**

**UNDER CONDITIONAL AUTHORIZATION:**

**UNDER CONDITIONAL EXEMPTION:**